# **HYPOGEN 25**

Safe, stable and effective sanitizing solution made on-site





### The HYPOGEN model 25

The ChlorKing\* HYPOGEN 25 is a stand-alone, on-site generator optimized to produce hypochlorous acid with neutral pH. Using ChlorKing technology the system converts salt, water and electricity into an effective and powerful solution that can substitute for a number of conventional chemicals used on a daily basis.

#### Uses


- · Bacteria inactivation
- Virus inactivation
- Cleaning food surface preperation areas
- Tile floor cleaning
- Any situation where sodium hypochlorite or calcium hypochlorite have traditionally been used.


## **Specifications**


- Touch-screen display
  - > Size 5" x 4"color display
  - > Resistive touch membrane overlay
- Built in safety sensors
  - > Water, flow, & level sensors
- Power supply
  - > 100 amp 24v DC water-cooled switch mode
- Electrode stack
  - > [1] x 15,000 hr reverse polarity
- Operating temperature
  - > 45°F (7°C) to 115°F (46°C) air temperature
  - > 50°F (10°C) to 80°F (26°C) water temperature
- · Electrical specifications
  - Max AC primary amps (24)
  - Voltage / Hz (208-240v 50/60Hz single phase)
  - > Breaker required (40 amp)

Skid dimensions and weight		
Depth x width x height	24"x 42"x 60"	60cm x106cm x152cm
Weight	280 lbs.	127 kg
Water required		
Water flow	1 gpm	3.785 lpm
Water pressure (min)	25 psi	2 bar
Water pressure (max)	50 psi	4 bar
Venting required	2" outlet to atmosphere	
Water softener required	No	
Generator performa	nce	
Generator performa  Hypochlorous acid (sanitizer)	1 gpm (1,440g / day)	3.785 lpm (5,490 l / day)
Hypochlorous acid	1 gpm	(5,490 l / day)
Hypochlorous acid (sanitizer)	1 gpm (1,440g / day)	(5,490 l / day)
Hypochlorous acid (sanitizer) (sanitizer) pH	1 gpm (1,440g / day) 5.5 - 7 adjustable	(5,490 l / day)
Hypochlorous acid (sanitizer) (sanitizer) pH (sanitizer) FAC	1 gpm (1,440g / day) 5.5 - 7 adjustable	(5,490 l / day)
Hypochlorous acid (sanitizer) (sanitizer) pH (sanitizer) FAC Salt and acid usage	1 gpm (1,440g / day) 5.5 - 7 adjustable > 1,000ppm	(5,490 l / day)
Hypochlorous acid (sanitizer) (sanitizer) pH (sanitizer) FAC Salt and acid usage Estimated salt usage	1 gpm (1,440g / day) 5.5 - 7 adjustable > 1,000ppm	(5,490 l / day) 4.5 kg / 908 L 3.7 L / 680 L

## **Dimensions**







ChlorKing pioneered on-site chlorine generating technology in the 1970's. Realizing the potential for swimming pools and commercial applications, the company began generating "ultimate water" with simple, yet highly advanced technology. Today, ChlorKing® leads the way in commercial saline chlorination and is consistently seeking new frontiers in sanitizing solutions including ultraviolet light technology and their NEX-GEN® pH onsite chlorine generators. These environmentally friendly solutions are changing the way we treat H²O.



Safer water through smarter technology.